

## 6 / 12 Way Low Voltage Heat Treatment Equipment

		HMT-50-0606	HMT-65-0606	HMT-90-0606	HMT-130-1212
No.	Name	Model & Specification	Model & Specification	Model & Specification	Model & Specification
1	Rated Power	50kVA, air natural	65kVA, air natural	90kVA, air natural	130kVA, air natural
2	Transformer	SG-50, Air Natural, Class H	SG-65, Air Natural, Class H	SG-90, Air Natural, Class H	SG-90, Air Natural, Class H
3	Primary Supply	380V / 415V/ 440V, 3 phase	380V / 415V/ 440V, 3 phase	380V / 415V/ 440V, 3 phase	380V / 415V/ 440V, 3 phase
4	Frequency	50/60Hz	50/60Hz	50/60Hz	50/60Hz
5	Output Voltage	65V,85V	65V,85V	65V,85V	65V,85V
6	Output Channel	6 Channel,	6 Channel,	6 / 12 Channel,	6 / 12 Channel,
7	Max.Current Per Channel	185A	185A	185A	185A
8	Temperature Raging	0 - 1200°C	0 - 1200°C	0 - 1200°C	0 - 1200°C
9	Program Controller	PXF5 (TC)	PXF5 (TC)	PXF5 (TC)	PXF5 (TC)
10	Programmable Segment	8	8	8	8
11	Recording Point	6	6	6	12
12	Temperature Calibration	Type K,	Type K,	Type K,	Type K,
13	Primary Supply Cable	3 x 50 mm <sup>2</sup> 3.5m length	3 x 50 mm <sup>2</sup> 3.5m length	3 x 50 mm <sup>2</sup> 3.5m length	3 x 50 mm <sup>2</sup> 3.5m length
14	Auxiliary Socket	2 - aviation socket , 110VAC	2 - aviation socket , 110VAC	2 - aviation socket , 110VAC	2 - aviation socket , 110VAC
15	Casing	Carbon Steel	Carbon Steel	Carbon Steel	Carbon Steel
16	Mobility	2 swivel wheels, 2 fixed wheels	2 swivel wheels, 2 fixed wheels	2 swivel wheels, 2 fixed wheels	2 swivel wheels, 2 fixed wheels
17	Lifting	Fork Lift or Webbing Slings	Fork Lift or Webbing Slings	Fork Lift or Webbing Slings	Fork Lift or Webbing Slings
18	Operating Ambient Temperature	0 - 50°C	0 - 50°C	0 - 50°C	0 - 50°C
19	Overall dimensions	85cmW×80cmD×135cmH	85cmW×80cmD×135cmH	94cmW×80cmD×135cmH	94cmW×80cmD×135cmH
20	Weight (kg)	350kg	400kg	500kg	600kg

HEATMENT

[sales@heatment.com](mailto:sales@heatment.com) [www.heatment.com](http://www.heatment.com)

Whatsapp / Wechat / Mob: +8615618029291

No.188,South Changjiang Rd.,Shanghai China 200439



# HeatMent®

We treat the heat



HEATMENT

[sales@heatment.com](mailto:sales@heatment.com)   [www.heatment.com](http://www.heatment.com)  
Whatsapp / Wechat / Mob: +8615618029291  
No.188, South Changjiang Rd., Shanghai China 200439



# HeatMent®

We treat the heat



HEATMENT

[sales@heatment.com](mailto:sales@heatment.com)   [www.heatment.com](http://www.heatment.com)  
Whatsapp / Wechat / Mob: +8615618029291  
No.188, South Changjiang Rd., Shanghai China 200439



# HeatMent®

We treat the heat



HEATMENT

[sales@heatment.com](mailto:sales@heatment.com)   [www.heatment.com](http://www.heatment.com)  
Whatsapp / Wechat / Mob: +8615618029291  
No.188, South Changjiang Rd., Shanghai China 200439



# HeatMent®

We treat the heat



HEATMENT

[sales@heatment.com](mailto:sales@heatment.com)   [www.heatment.com](http://www.heatment.com)  
Whatsapp / Wechat / Mob: +8615618029291  
No.188, South Changjiang Rd., Shanghai China 200439



# HeatMent®

We treat the heat



HEATMENT

[sales@heatment.com](mailto:sales@heatment.com) [www.heatment.com](http://www.heatment.com)

Whatsapp / Wechat / Mob: +8615618029291

No.188,South Changjiang Rd.,Shanghai China 200439

